

TSDS Upgrade Project: RF Tracker Promotion Logic

Contents

- TSDS Upgrade Project: RF Tracker Promotion Logic..... 1
 - Education Organization > Campus 2
 - Education Organization > Local Education Agency 3
 - Education Organization > Residential Facility 4
- Student > Student Basic Information 5
- Student > Enrollment (Programs) 6
- Student > Student Residential Facility 7
- Student > Special Education Program (Instructional Setting) 12
- Student > Special Education Program (Disabilities) 14
- Student > Special Education Program (Services) 18

Education Organization > Campus

Base Logic: The system shall only promote Campus subcategory data for campuses where the SchoolId has been reported in the School entity.

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Education Organization	School	E0266 SchoolId	Data is promoted as reported.
Education Organization	School	E3037 NameOfInstituion	The campus name that is promoted will come from AskTED based on the date of the organization's most recent promotion of the Campus subcategory.

Education Organization > Local Education Agency

Base Logic: The system shall only promote Local Education Agency subcategory data where the EducationOrganization data element has been reported in the LocalEducationAgency entity.

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Education Organization	LocalEducationAgency	E0212 LocalEducationAgencyId	Data is promoted as reported.
Education Organization	LocalEducationAgency	E3037 NameOfInstituion	The LEA name that is promoted will come from AskTED based on the date of the organization's most recent promotion of the Local Education Agency subcategory.

Education Organization > Residential Facility

Base Logic: The system shall promote Residential Facility Information subcategory data only for residential facilities with the following:

- Where data is reported for the Student in the Alternative and Supplemental Services Domain > StudentSpecialEducationProgramAssociation where Program is '33'
- AND at least one instance of StudentResidentialFacilityAssociation where DateEnteredRF is greater than or equal to the first day of school. (First day of school is defined as the Earliest instructional day for the given LEA from CalendarDate.)
- Only promote once per residential facility ID.

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentResidentialFacilityAssociation	E1627 ResidentialFacilityID	Data is promoted as reported.
		Residential Facility Name Secure Indicator	This information will be promoted from AskTED based on the date of the organization's most recent promotion of the Residential Facility subcategory. Set to null if the Residential Facility does not exist in AskTED.

Student > Student Basic Information

Base Logic: The system shall only promote the Student Basic Information subcategory data for the following:

- Where data is reported for the Student in the Alternative and Supplemental Services Domain> StudentSpecialEducationProgramAssociation where Program is '33'
- AND at least one instance of StudentResidentialFacilityAssociation where DateEnteredRF is greater than or equal to the first day of school. (First day of school is defined as the Earliest instructional day for the given LEA from CalendarDate.)

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Student Identification and Demographics	Student	E1523 StudentUniqueId E0703 FirstName E0704 MiddleName E0705 LastSurname E0706 GenerationCode E0006 BirthDate	Data is promoted as reported.
Student Identification and Demographics	StudentEducationOrganizationAssociation	E1325 Sex	Data is promoted as reported.
Student Identification and Demographics	StudentEducationOrganizationAssociation	E1064 HispanicLatinoEthnicity	For HispanicLatinoEthnicity TEA will promote a value of '1' where HispanicLatinoEthnicity = 'true'.
Student Identification and Demographics	StudentEducationOrganizationAssociation	E3050 Race	For Race TEA will promote a value of '1' where: Race descriptor = '02' (Asian) Race descriptor = '03' (Black-African American) Race descriptor = '04' (Native Hawaiian - Pacific Islander) Race descriptor = '01' (American Indian - Alaskan Native) Race descriptor = '05' (White) Otherwise promote a value of '0'.
		Residential Facility Indicator	TEA will promote a value of '1'.

Student > Enrollment (Programs)

Base Logic: The system shall only promote the Student Enrollment (Programs) Information subcategory data for the following:

- Where data is reported for the Student in the Alternative and Supplemental Services Domain> StudentSpecialEducationProgramAssociation where Program is '33'
- AND at least one instance of StudentResidentialFacilityAssociation where DateEnteredRF is greater than or equal to the first day of school. (First day of school is defined as the Earliest instructional day for the given LEA from CalendarDate.)

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationProgramAssociation	Student (reference)	Data is promoted as reported.
Alternative and Supplemental Services	StudentSpecialEducationProgramAssociation	Program (reference)	TEA will promote a value of '1' where (ProgramType = '33' (Special Education) AND (StudentSpecialEducationProgramAssociation.EndDate is null OR after the first day of school)) Otherwise promote a value of '0'.

Student > Student Residential Facility

Base Logic: The system shall only promote the Student Residential Facility subcategory for the following:

- Where data is reported for the Student in the Alternative and Supplemental Services Domain> StudentSpecialEducationProgramAssociation where Program is '33'
- AND where StudentResidentialFacilityAssociation DateEnteredRF is greater than or equal to the first day of school AND ((Where Program 33 EndDate is null OR DateEnteredRF is less than Program 33 EndDate) AND (DateExitedRF is null OR DateExitedRF is greater than Program 33 BeginDate)). (First day of school is defined as the Earliest instructional day for the given LEA from CalendarDate.)

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationProgramAssociation	Student (reference) E1627 ResidentialFacilityID E1630 DateEnteredRF E1631 DateExitedRF E1633 AttendanceZoneCampus E1636 NumberOtherStudentsAssignedSameSurrogateParent E1637 ResidentialFacilityStudentSchoolDayLength E1638 CampusIDofEnrollmentSchoolDayLength	Data is promoted as reported.
Alternative and Supplemental Services	StudentSpecialEducationProgramAssociation	E1634 EducatedAtResidentialFacility	For EducatedAtResidentialFacility TEA will promote a value of '1' where 'true' Otherwise promote a value of '0'.
Alternative and Supplemental Services	StudentSpecialEducationProgramAssociation	E1635 SurrogateParentAssigned	For SurrogateParentAssigned TEA will promote a value of '1' where 'true' Otherwise promote a value of '0'.
Alternative and Supplemental Services	StudentSpecialEducationProgramAssociation	E3064 StudentResFacAssocSetBeginDate	Data is promoted as reported.*

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationProgramAssociation	E0173 InstructionalSetting	Promote InstructionalSetting (use latest InstructionalSettingBeginDate where InstructionalSettingBeginDate is less than or equal to DateEnteredRF) AND (InstructionalSettingEndDate is null or InstructionalSettingEndDate is greater than or equal to DateEnteredRF).

Enrollment	StudentSchoolAssociation	E1517 EntryGradeLevel	<p>Promote EntryGradeLevel for the latest EntryDate before or on the DateEnteredRF. Additionally, promote any EntryGradeLevel changes while the student is residing in the residential facility (between the DateEnteredRF and the DateExitedRF). Once the Student has exited the residential facility, then do not promote any grade level changes where the EntryDate is after the DateExitedRF.</p> <p>(Promote the EntryGradeLevel when the student first enters the RF and any changes for the EntryGradeLevel that fall within the date entered the RF and the date exited the RF.)</p> <p>For EntryGradeLevel TEA will promote a value of:</p> <p>'Early Education' where EntryGradeLevel = 'EE'</p> <p>'Preschool/Prekindergarten' where EntryGradeLevel = 'PK'</p> <p>'Kindergarten' where EntryGradeLevel = 'KG'</p> <p>'First Grade' where EntryGradeLevel = '01'</p> <p>'Second Grade' where EntryGradeLevel = '02'</p> <p>'Third Grade' where EntryGradeLevel = '03'</p>
------------	--------------------------	-----------------------	---

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
			'Fourth Grade' where EntryGradeLevel = '04' 'Fifth Grade' where EntryGradeLevel = '05' 'Sixth Grade' where EntryGradeLevel = '06' 'Seventh Grade' where EntryGradeLevel = '07' 'Eighth Grade' where EntryGradeLevel = '08' 'Ninth Grade' where EntryGradeLevel = '09' 'Tenth Grade' where EntryGradeLevel = '10' 'Eleventh Grade' where EntryGradeLevel = '11' 'Twelfth Grade' where EntryGradeLevel = '12'

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Enrollment	StudentSchoolAssociation	School (reference)	<p>Promote School (Campus ID of Enrollment) for latest EntryDate before or on the DateEnteredRF.</p> <p>Additionally, promote any School (Campus ID of Enrollment) changes while the student is residing in the residential facility (between the DateEnteredRF and the DateExitedRF).</p> <p>Once the Student has exited the residential facility, then do not promote any school changes where the EntryDate is after the DateExitedRF.</p> <p>(Promote the school when the student first enters the RF and any changes for the school that fall within the date entered the RF and the date exited the RF.)</p>
Enrollment	StudentSchoolAssociation	E3023 EntryDate	Data is promoted as reported.*

* The StudentResFacAssocSetBeginDate and StudentSchoolAssociation.EntryDate update the effective date. Only one record can be written for each effective date and all the changes from both entities should be included.

Student > Special Education Program (Instructional Setting)

Base Logic: The system shall only promote the Student Special Education program subcategory for the following:

- Where data is reported for the Student in the Alternative and Supplemental Services Domain > StudentSpecialEducationProgramAssociation where Program is '33'
- AND at least one instance of StudentResidentialFacilityAssociation where DateEnteredRF is greater than or equal to the first day of school. (First day of school is defined as the Earliest instructional day for the given LEA from CalendarDate.)

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationProgramAssociation	Student (reference)	Data is promoted as reported.

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationProgramAssociation	E0173 InstructionalSetting	<p>Promote InstructionalSetting where (InstructionalSettingEndDate is null OR InstructionalSettingEndDate is after the *first day of school). Promote InstructionalSettingBeginDate as SPED_EFFECTIVE_DT.</p> <p>If the current set has an end date (InstructionalSettingEndDate is not null). Check for another instance for Instructional Setting where InstructionalSettingEndDate (from current set) matches theInstructionalSettingBeginDate (from another set). No action required.</p> <p>If there is not another set where InstructionalSettingEndDate (from current set) matches the InstructionalSettingBeginDate (from another set), then write the InstructionalSettingEndDate (from current set) as the SPED_EFFECTIVE_DT and set the instructional setting equal to null.</p>
Alternative and Supplemental Services	StudentSpecialEducationProgramAssociation	E3025 InstructionalSettingBeginDate	Data is promoted as reported. (The begin date could be from the current school year or a prior school year.)

Student > Special Education Program (Disabilities)

Base Logic: The system shall only promote the Student Special Education program subcategory for the following:

- Where data is reported for the Student in the Alternative and Supplemental Services Domain > StudentSpecialEducationProgramAssociation where Program is '33'
- AND at least one instance of StudentResidentialFacilityAssociation where DateEnteredRF is greater than or equal to the first day of school. (First day of school is defined as the Earliest instructional day for the given LEA from CalendarDate.)

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationProgramAssociation	Student (reference)	Data is promoted as reported.

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationProgramAssociation	E3015 Disability (Primary) E3016 DisabilitySetBeginDate E3017 DisabilitySetEndDate	<p>Data is promoted where OrderOfDisability =1 AND (DisabilitySetEndDate is null OR DisabilitySetEndDate is after the first day of school). Promote DisabilitySetBeginDate as disability effective date.</p> <p>If the current set has an end date (DisabilitySetEndDate is not null). Check for another instance where Disability set with OrderOfDisability =1 AND DisabilitySetEndDate (from current set) matches the DisabilitySetBeginDate (from another set). No action required.</p> <p>If there is not another set with OrderOfDisability =1 where DisabilitySetEndDate (from current set) matches the DisabilitySetBeginDate (from another set) then write the DisabilitySetEndDate (from current set) as the disability effective date and set the disability equal to null.</p>

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationProgramAssociation	E3015 Disability (Secondary) E3016 DisabilitySetBeginDate E3017 DisabilitySetEndDate	<p>Data is promoted where OrderOfDisability =2 AND (DisabilitySetEndDate is null OR DisabilitySetEndDate is after the first day of school). Promote DisabilitySetBeginDate as disability effective date.</p> <p>If the current set has an end date (DisabilitySetEndDate is not null). Check for another instance where Disability set with OrderOfDisability =2 AND DisabilitySetEndDate (from current set) matches the DisabilitySetBeginDate (from another set). No action required.</p> <p>If there is not another set with OrderOfDisability =2 where DisabilitySetEndDate (from current set) matches the DisabilitySetBeginDate (from another set) then write the DisabilitySetEndDate (from current set) as the disability effective date and set the disability equal to null.</p>

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationProgramAssociation	E3015 Disability (Tertiary) E3016 DisabilitySetBeginDate E3017 DisabilitySetEndDate	<p>Data is promoted where OrderOfDisability =3 AND (DisabilitySetEndDate is null OR DisabilitySetEndDate is after the first day of school). Promote DisabilitySetBeginDate as disability effective date.</p> <p>If the current set has an end date (DisabilitySetEndDate is not null). Check for another instance where Disability set with OrderOfDisability =3 AND DisabilitySetEndDate (from current set) matches the DisabilitySetBeginDate (from another set). No action required.</p> <p>If there is not another set with OrderOfDisability =3 where DisabilitySetEndDate (from current set) matches the DisabilitySetBeginDate (from another set) then write the DisabilitySetEndDate (from current set) as the disability effective date and set the disability equal to null.</p>

NOTE: The DisabilitySetBeginDate and DisabilitySetEndDate update the effective date. The promotion logic for the effective date is included in the Disability promotion logic. Only one record can be written for each effective date and will include all the changes for the Disabilities on that effective date.

Student > Special Education Program (Services)

Base Logic: The system shall only promote the Student Special Education program subcategory for the following:

- Where data is reported for the Student in the Alternative and Supplemental Services Domain> StudentSpecialEducationProgramAssociation where Program is '33'
- AND at least one instance of StudentResidentialFacilityAssociation where DateEnteredRF is greater than or equal to the first day of school. (First day of school is defined as the Earliest instructional day for the given LEA from CalendarDate.)

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationAssociation	Student (reference)	Data is promoted as reported.
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	TEA will promote a value of '1' where (SPEDProgramSvc = 21 (Occupational and Physical Therapy) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date). TEA will promote a value of '0' where (ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use ServiceEndDate as effective date, (this will be an additional record)).
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	TEA will promote a value of '1' where (SPEDProgramSvc = 19 (Preschool Student with Disabilities Services) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date). TEA will promote a value of '0' where (ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use ServiceEndDate as effective date, (this will be an additional record)).

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	<p>TEA will promote a value of '1' where (SPEDProgramSvc = 11 (Physical Therapy Services) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date).</p> <p>TEA will promote a value of '0' where (ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use ServiceEndDate as effective date, (this will be an additional record)).</p>
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	<p>TEA will promote a value of '1' where (SPEDProgramSvc = 26 (Special Education Transportation Services) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date).</p> <p>TEA will promote a value of '0' where (ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use ServiceEndDate as effective date, (this will be an additional record)).</p>

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	TEA will promote a value of '1' where (SPEDProgramSvc = 17 (Assistive Technology Device or Related Services) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date). TEA will promote a value of '0' where (ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use ServiceEndDate as effective date, (this will be an additional record)).
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	TEA will promote a value of '1' where (SPEDProgramSvc = 18 (Audiological Services) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date). TEA will promote a value of '0' where (ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use ServiceEndDate as effective date, (this will be an additional record)).

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	TEA will promote a value of '1' where (SPEDProgramSvc = 13 (Counseling Services) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date). TEA will promote a value of '0' where (ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use ServiceEndDate as effective date, (this will be an additional record)).
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	Promote data where (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date). For Interpreting Services Type Code promote a value of: '01' where ((SPEDProgramSvc = 02 (Oral Transliteration)) '02' where (SPEDProgramSvc = 03 (CUE Language Transliteration)) '03' where (SPEDProgramSvc = 04 (Sign Language Transliteration)) '04' where (SPEDProgramSvc = 05 (Sign Language Interpreting)) '05' where (SPEDProgramSvc = 06 (Communication Access Realtime Translation CART)) '06' where (SPEDProgramSvc = 07 (C-Print)) '07' where (SPEDProgramSvc = 08 (Type Well))

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
			<p>'08' where (SPEDProgramSvc = 09 (Deaf-Blind Interpreting Services))</p> <p>'00' where ((ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use the ServiceEndDate as the effective date, (this will be an additional record)).</p>
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	<p>TEA will promote a value of '1' where (SPEDProgramSvc = 15 (Medical Services) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date).</p> <p>TEA will promote a value of '0' where (ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use ServiceEndDate as effective date, (this will be an additional record)).</p>
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	<p>TEA will promote a value of '1' where (SPEDProgramSvc = 10 (Psychological Services) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date).</p> <p>TEA will promote a value of '0' where (ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use ServiceEndDate as effective date, (this will be an additional record)).</p>

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	TEA will promote a value of '1' where (SPEDProgramSvc = 12 (Recreation Including Therapeutic Recreation) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date). TEA will promote a value of '0' where (ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use ServiceEndDate as effective date, (this will be an additional record)).
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	TEA will promote a value of '1' where (SPEDProgramSvc = 16 (School Health And/Or School Nurse Services) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date). TEA will promote a value of '0' where (ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use ServiceEndDate as effective date, (this will be an additional record)).

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	TEA will promote a value of '1' where (SPEDProgramSvc = 01 (Social Work Services) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date). TEA will promote a value of '0' where (ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use ServiceEndDate as effective date, (this will be an additional record)).

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	<p>TEA will promote a value of '1' where ((SPEDProgramSvc = 24 (Special Education Student Receives Speech Therapy Only) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date).</p> <p>TEA will promote a value of '2' where ((SPEDProgramSvc = 25 (Special Education Student Rec Speech Therapy and Other SPED Instr Setting) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date)).</p> <p>TEA will promote a value of '0' where ((SPEDProgramSvc = 23 (Special Education Student Does Not Receive Speech Therapy) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date)).</p>

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	TEA will promote a value of '1' where (SPEDProgramSvc = 14 (Orientation and Mobility) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date). TEA will promote a value of '0' where (ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use ServiceEndDate as effective date, (this will be an additional record)).
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	TEA will promote a value of '1' where (SPEDProgramSvc = 20 (Early Childhood Intervention Services)) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date). TEA will promote a value of '0' where (ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use ServiceEndDate as effective date, (this will be an additional record)).

DOMAIN	ENTITY	DATA ELEMENT	PROMOTION LOGIC
Alternative and Supplemental Services	StudentSpecialEducationAssociation	E0843 SPEDProgramSvc E3055 ServiceBeginDate E3056 ServiceEndDate	TEA will promote a value of '3' where (SPEDProgramSvc = 22 (Receiving Instructional Services from RDSPD) AND (ServiceEndDate is null OR ServiceEndDate is after the first day of school), use ServiceBeginDate as effective date). TEA will promote a value of '0' where (ServiceEndDate is not null AND ServiceEndDate is after the first day of school), use ServiceEndDate as effective date, (this will be an additional record)).

NOTE: The ServiceBeginDate and ServiceEndDate update the effective date. The promotion logic for the effective date is included in the Special Education Program Services promotion logic. Only one record can be written for each effective date and will include all the changes for the Special Education Program Services on that effective date.